


IN THE CLAIMS

Please substitute claims 1-15 with the following:

- 
1. (Original) A method for remote inter-language method calling comprising:
issuing a method call using a first protocol;
translating said method call from said first protocol to an intermediary protocol; and
translating said method call from said intermediary protocol to a second protocol.
 2. (Original) The method of claim 1 wherein said first step of translating comprises:
calling a proxy object.
 3. (Original) The method of claim 1 wherein said first protocol is selected from the
group of Java, XPCOM and UNO.
 4. (Original) The method of claim 1 wherein said intermediary protocol is *Connect.
 5. (Original) The method of claim 1 wherein said second protocol is selected from
the group of Java, XPCOM and UNO.
 6. (Original) A remote inter-language method calling system comprising:
a method calling unit configured to issue a method call using a first protocol;
a first translator configured to translate said method call from said first protocol to an
intermediary protocol; and
a second translator configured to translate said method call from said intermediary
protocol to a second protocol.
 7. (Original) The remote inter-language method calling system of claim 6 wherein
said first translator comprises:

a proxy object.

8. (Original) The remote inter-language method calling system of claim 6 wherein said first protocol is selected from the group of Java, XPCOM and UNO.

9. (Original) The remote inter-language method calling system of claim 6 wherein said intermediary protocol is *Connect.

10. (Original) The remote inter-language method calling system of claim 6 wherein said second protocol is selected from the group of Java, XPCOM and UNO.

11. (Original) A computer program product comprising:

~
O a computer usable medium having computer readable program code embodied therein configured for remote inter-language method calling, comprising:

computer readable code configured to cause a computer to issue a method call using a first protocol;


computer readable code configured to cause a computer to translate said method call from said first protocol to an intermediary protocol; and

computer readable code configured to cause a computer to translate said method call from said intermediary protocol to a second protocol.

12. (Original) The computer program product of claim 6 wherein said computer readable code configured to cause a computer to translate said method call from said first protocol comprises:

computer readable code configured to cause a computer to call a proxy object.

13. (Original) The computer program product of claim 6 wherein said first protocol is selected from the group of Java, XPCOM and UNO.

 14. (Original) The computer program product of claim 6 wherein said intermediary protocol is *Connect.

15. (Original) The computer program product of claim 6 wherein said second protocol is selected from the group of Java, XPCOM and UNO.
